

	Type	Hits	Search Text
1	BRS	107464	(determine or find\$4 or Calculate\$4) near10 operat\$7
2	BRS	425956	(execu\$4 or perform\$4 or determine\$4) near7 operat\$7
3	BRS	491718	(control or main or central) near7 operat\$4
4	BRS	7608	((determine or find\$4 or Calculate\$4) near10 operat\$7) same (client or user or server)
5	BRS	27107	((control or main or central) near7 operat\$4 ) same (reset\$4 or reboot\$4 or initialize\$4 or startover\$4)
6	BRS	46	((determine or find\$4 or Calculate\$4) near10 operat\$7) same (client or user or server)) same (((control or main or central) near7 operat\$4 ) same (reset\$4 or reboot\$4 or initialize\$4 or startover\$4))
7	BRS	566	((determine or find\$4 or Calculate\$4) near10 operat\$7) same (client or user or server)) and (((control or main or central) near7 operat\$4 ) same (reset\$4 or reboot\$4 or initialize\$4 or startover\$4))
8	BRS	67851	((determine or find\$4 or Calculate\$4) near10 operat\$7) same ((execu\$4 or perform\$4 or determine\$4) near7 operat\$7)
9	BRS	11219	((determine or find\$4 or Calculate\$4) near10 operat\$7) same ((execu\$4 or perform\$4 or determine\$4) near7 operat\$7)) same ((control or main or central) near7 operat\$4 )
10	BRS	28	((determine or find\$4 or Calculate\$4) near10 operat\$7) same ((execu\$4 or perform\$4 or determine\$4) near7 operat\$7)) same ((control or main or central) near7 operat\$4 )) same (((determine or find\$4 or Calculate\$4) near10 operat\$7) same (client or user or server)) same (((control or main or central) near7 operat\$4 ) same (reset\$4 or reboot\$4 or initialize\$4 or startover\$4)))

	DBs	Time Stamp	Comments	Error Definition
1	USPAT	2002/06/12 14:56		
2	USPAT	2002/06/12 14:58		
3	USPAT	2002/06/12 16:24		
4	USPAT	2002/06/12 15:01		
5	USPAT	2002/06/12 15:20		
6	USPAT	2002/06/12 15:04		
7	USPAT	2002/06/12 15:18		
8	USPAT	2002/06/12 15:05		
9	USPAT	2002/06/12 15:05		
10	USPAT	2002/06/12 15:21		

	<b>Errors</b>
1	0
2	0
3	0
4	0
5	0
6	0
7	0
8	0
9	0
10	0

	Type	Hits	Search Text
11	BRS	197	(((((determine or find\$4 or Calculate\$4) near10 operat\$7) same ((execu\$4 or perform\$4 or determine\$4) near7 operat\$7)) same ((control or main or central) near7 operat\$4 )) and (((determine or find\$4 or Calculate\$4) near10 operat\$7) same (client or user or server)) and (((control or main or central) near7 operat\$4 ) same (reset\$4 or reboot\$4 or initialize\$4 or startover\$4))))
12	BRS	104981	(encaps\$7 or combine or together or RMCP) near7 Operat\$5
13	BRS	0	(encaps\$7 or combine or together) near9 RMCP
14	BRS	0	(encaps\$7 or combine or together) near20 RMCP
15	BRS	0	RMCP near20 Operat\$5
16	BRS	0	RMCP and ((((((determine or find\$4 or Calculate\$4) near10 operat\$7) same ((execu\$4 or perform\$4 or determine\$4) near7 operat\$7)) same ((control or main or central) near7 operat\$4 )) same (((determine or find\$4 or Calculate\$4) near10 operat\$7) same (client or user or server)) same (((control or main or central) near7 operat\$4 ) same (reset\$4 or reboot\$4 or initialize\$4 or startover\$4))))
17	BRS	22	RMCP
18	BRS	1	((encaps\$7 or combine or together or RMCP) near7 Operat\$5) same ((((((determine or find\$4 or Calculate\$4) near10 operat\$7) same ((execu\$4 or perform\$4 or determine\$4) near7 operat\$7)) same ((control or main or central) near7 operat\$4 )) same (((determine or find\$4 or Calculate\$4) near10 operat\$7) same (client or user or server)) same (((control or main or central) near7 operat\$4 ) same (reset\$4 or reboot\$4 or initialize\$4 or startover\$4))))

	DBs	Time Stamp	Comments	Error Definition
11	USPAT	2002/06/12 16:09		
12	USPAT	2002/06/13 10:35		
13	USPAT	2002/06/12 15:33		
14	USPAT	2002/06/12 15:33		
15	USPAT	2002/06/12 15:35		
16	USPAT	2002/06/12 15:36		
17	USPAT	2002/06/12 15:36		
18	USPAT	2002/06/12 15:36		

	Errors
11	0
12	0
13	0
14	0
15	0
16	0
17	0
18	0

	Type	Hits	Search Text
19	BRS	5	((encaps\$7 or combine or together or RMCP) near7 Operat\$5) and (((((determine or find\$4 or Calculate\$4) near10 operat\$7) same ((execu\$4 or perform\$4 or determine\$4) near7 operat\$7)) same ((control or main or central) near7 operat\$4 )) same (((determine or find\$4 or Calculate\$4) near10 operat\$7) same (client or user or server)) same (((control or main or central) near7 operat\$4 ) same (reset\$4 or reboot\$4 or initialize\$4 or startover\$4))))
20	BRS	12	(((determine or find\$4 or Calculate\$4) near10 operat\$7) same ((execu\$4 or perform\$4 or determine\$4) near7 operat\$7)) same ((control or main or central) near7 operat\$4 )) and (((determine or find\$4 or Calculate\$4) near10 operat\$7) same (client or user or server)) and (((control or main or central) near7 operat\$4 ) same (reset\$4 or reboot\$4 or initialize\$4 or startover\$4)))) and 709/\$
21	BRS	49	(Network or lan or remote) near10 (manag\$7 and adminis\$5)
22	BRS	2	"139" and ((Network or lan or remote) near10 (manag\$7 and adminis\$5))
23	BRS	629614	(manag\$5 or adminis\$7 or control\$5) near10 operat\$5
24	BRS	181932	( main\$4 or central\$7) near7 operat\$4
25	BRS	51952	((manag\$5 or adminis\$7 or control\$5) near10 operat\$5) same (( main\$4 or central\$7) near7 operat\$4 )
26	BRS	88736	(network or Lan or remote) near10 operat\$7
27	BRS	2650	((manag\$5 or adminis\$7 or control\$5) near10 operat\$5) same (( main\$4 or central\$7) near7 operat\$4 )) same ((network or Lan or remote) near10 operat\$7)

	DBs	Time Stamp	Comments	Error Definition
19	USPAT	2002/06/12 15:36		
20	USPAT	2002/06/12 15:39		
21	USPAT	2002/06/12 16:21		
22	USPAT	2002/06/12 16:20		
23	USPAT	2002/06/12 16:26		
24	USPAT	2002/06/12 16:26		
25	USPAT	2002/06/12 16:27		
26	USPAT	2002/06/12 16:30		
27	USPAT	2002/06/12 16:30		



	Errors
19	0
20	0
21	0
22	0
23	0
24	0
25	0
26	0
27	0

	Type	Hits	Search Text
28	BRS	0	((((manag\$5 or adminis\$7 or control\$5) near10 operat\$5) same (( main\$4 or central\$7) near7 operat\$4 )) same ((network or Lan or remote) near10 operat\$7)) same (((determine or find\$4 or Calculate\$4) near10 operat\$7) same (client or user or server)) same (((control or main or central) near7 operat\$4 ) same (reset\$4 or reboot\$4 or initialize\$4 or startover\$4)))
29	BRS	7	((((manag\$5 or adminis\$7 or control\$5) near10 operat\$5) same (( main\$4 or central\$7) near7 operat\$4 )) same ((network or Lan or remote) near10 operat\$7)) and (((determine or find\$4 or Calculate\$4) near10 operat\$7) same ((execu\$4 or perform\$4 or determine\$4) near7 operat\$7)) same ((control or main or central) near7 operat\$4 )) and (((determine or find\$4 or Calculate\$4) near10 operat\$7) same (client or user or server)) and (((control or main or central) near7 operat\$4 ) same (reset\$4 or reboot\$4 or initialize\$4 or startover\$4))))
30	BRS	7	(((((manag\$5 or adminis\$7 or control\$5) near10 operat\$5) same (( main\$4 or central\$7) near7 operat\$4 )) same ((network or Lan or remote) near10 operat\$7)) and (((determine or find\$4 or Calculate\$4) near10 operat\$7) same ((execu\$4 or perform\$4 or determine\$4) near7 operat\$7)) same ((control or main or central) near7 operat\$4 )) and (((determine or find\$4 or Calculate\$4) near10 operat\$7) same (client or user or server)) and (((control or main or central) near7 operat\$4 ) same (reset\$4 or reboot\$4 or initialize\$4 or startover\$4)))) and ((control or main or central) near7 operat\$4 )
31	BRS	64372	(reboot\$3 or initialize\$3 or reset\$4) near9 (mode or operat\$5)
32	BRS	10992	(reset or reboot or Initialize) near5 (pin or interface or connection)

	DBs	Time Stamp	Comments	Error Definition
28	USPAT	2002/06/12 16:30		
29	USPAT	2002/06/12 16:34		
30	USPAT	2002/06/13 09:10		
31	USPAT	2002/06/13 09:45		
32	USPAT	2002/06/13 10:44		

	Errors
28	0
29	0
30	0
31	0
32	0

	Type	Hits	Search Text
33	BRS	1534	((reset or reboot or Initialize) near5 (pin or interface or connection)) same bus
34	BRS	350	((reset or reboot or Initialize) near5 (pin or interface or connection)) same bus) same processor
35	BRS	3	((reset or reboot or Initialize) near5 (pin or interface or connection)) same bus) same processor) same sensor
36	BRS	62	((reset or reboot or Initialize) near5 (pin or interface or connection)) same bus) same processor) and sensor
37	BRS	302	((reset or reboot or Initialize) near5 (pin or interface or connection)) same bus) same processor) and controller
38	BRS	56	((reset or reboot or Initialize) near5 (pin or interface or connection)) same bus) same processor) and controller) and sensor
39	BRS	26	((reset or reboot or Initialize) near5 (pin or interface or connection)) same bus) same processor) and (Network near7 controller)
40	BRS	5	((reset or reboot or Initialize) near5 (pin or interface or connection)) same bus) same processor) and (Network near7 controller)) and sensor
41	BRS	2280	((reset or reboot or Initialize) near5 (pin or interface or connection)) same ((reboot\$3 or initialize\$3 or reset\$4) near9 (mode or operat\$5))
42	BRS	265	((reset or reboot or Initialize) near5 (pin or interface or connection)) same ((reboot\$3 or initialize\$3 or reset\$4) near9 (mode or operat\$5))) same bus
43	BRS	67	((reset or reboot or Initialize) near5 (pin or interface or connection)) same ((reboot\$3 or initialize\$3 or reset\$4) near9 (mode or operat\$5))) same bus) same processor

	DBs	Time Stamp	Comments	Error Definition
33	USPAT	2002/06/13 09:49		
34	USPAT	2002/06/13 09:50		
35	USPAT	2002/06/13 09:53		
36	USPAT	2002/06/13 09:52		
37	USPAT	2002/06/13 09:53		
38	USPAT	2002/06/13 09:53		
39	USPAT	2002/06/13 09:54		
40	USPAT	2002/06/13 09:59		
41	USPAT	2002/06/13 10:00		
42	USPAT	2002/06/13 10:00		
43	USPAT	2002/06/13 10:01		

	<b>Errors</b>
33	0
34	0
35	0
36	0
37	0
38	0
39	0
40	0
41	0
42	0
43	0

	Type	Hits	Search Text
44	BRS	18	(((((reset or reboot or Initialize) near5 (pin or interface or connection)) same ((reboot\$3 or initialize\$3 or reset\$4) near9 (mode or operat\$5))) same bus) same processor) and sensor
45	BRS	14	(((((reset or reboot or Initialize) near5 (pin or interface or connection)) same ((reboot\$3 or initialize\$3 or reset\$4) near9 (mode or operat\$5))) same bus) same processor) and sensor) and (NIC or (Network near5 controller) or NC)
46	BRS	104981	(encaps\$7 or combine or together or RMCP) near7 Operat\$5
47	BRS	18	((encaps\$7 or combine or together or RMCP) near7 Operat\$5 ) same ((reset or reboot or Initialize) near5 (pin or interface or connection))
48	BRS	7190	((reset or reboot or Initialize) near5 (pin or interface or connection)) and (operat\$ near10 (state or mode condition))
49	BRS	3254	((reset or reboot or Initialize) near5 (pin or interface or connection)) and (operat\$ near10 (state or mode condition))) and ((state or Stat\$4 or mode) near10 (register or table or database))
50	BRS	3384	((reset or reboot or Initialize) near5 (pin or interface or connection)) and ((server or client or computer or electronic) near7 (device or equipment))
51	BRS	995	((reset or reboot or Initialize) near5 (pin or interface or connection)) and ((server or client or computer or electronic) near7 (device or equipment))) and sensor
52	BRS	588	(((((reset or reboot or Initialize) near5 (pin or interface or connection)) and ((server or client or computer or electronic) near7 (device or equipment))) and sensor) and processor



	DBs	Time Stamp	Comments	Error Definition
44	USPAT	2002/06/13 10:01		
45	USPAT	2002/06/13 10:02		
46	USPAT	2002/06/13 10:38		
47	USPAT	2002/06/13 10:38		
48	USPAT	2002/06/13 10:42		Truncation overflow.
49	USPAT	2002/06/13 10:45		
50	USPAT	2002/06/13 10:57		
51	USPAT	2002/06/13 10:50		
52	USPAT	2002/06/13 10:50		

	Errors
44	0
45	0
46	0
47	0
48	1
49	0
50	0
51	0
52	0

	Type	Hits	Search Text
53	BRS	139	(((((reset or reboot or Initialize) near5 (pin or interface or connection)) and ((server or client or computer or electronic) near7 (device or equipment))) and sensor) and processor) and ((Network near7 controller) or NIC or NC)
54	BRS	121	((reset or reboot or Initialize) near5 (pin or interface or connection)) same ((server or client or computer or electronic) near7 (device or equipment))
55	BRS	3	(((((reset or reboot or Initialize) near5 (pin or interface or connection)) and ((server or client or computer or electronic) near7 (device or equipment))) and sensor) and processor) and ((Network near7 controller) or NIC or NC)) and (((reset or reboot or Initialize) near5 (pin or interface or connection)) same ((server or client or computer or electronic) near7 (device or equipment)))
56	BRS	6	((reset or reboot or Initialize) near5 (pin or interface or connection)) same ((server or client or computer or electronic) near7 (device or equipment)) same sensor
57	BRS	2240	((reset or reboot or Initialize) near5 (pin or interface or connection)) and ((server or client or computer or electronic) near7 (device or equipment))) and bus
58	BRS	1708	(((((reset or reboot or Initialize) near5 (pin or interface or connection)) and ((server or client or computer or electronic) near7 (device or equipment))) and bus) and controller
59	BRS	499	(((((reset or reboot or Initialize) near5 (pin or interface or connection)) and ((server or client or computer or electronic) near7 (device or equipment))) and bus) and controller) and sensor

	DBs	Time Stamp	Comments	Error Definition
53	USPAT	2002/06/13 10:51		
54	USPAT	2002/06/13 10:54		
55	USPAT	2002/06/13 10:54		
56	USPAT	2002/06/13 10:55		
57	USPAT	2002/06/13 10:58		
58	USPAT	2002/06/13 10:58		
59	USPAT	2002/06/13 10:59		

	Errors
53	0
54	0
55	0
56	0
57	0
58	0
59	0

	Type	Hits	Search Text
60	BRS	419	(((((reset or reboot or Initialize) near5 (pin or interface or connection)) and ((server or client or computer or electronic) near7 (device or equipment))) and bus) and controller) and sensor) and processor
61	BRS	96	((((((reset or reboot or Initialize) near5 (pin or interface or connection)) and ((server or client or computer or electronic) near7 (device or equipment))) and bus) and controller) and sensor) and processor) and (network Near7 controller)
62	BRS	13	((((((((reset or reboot or Initialize) near5 (pin or interface or connection)) and ((server or client or computer or electronic) near7 (device or equipment))) and bus) and controller) and sensor) and processor) and (network Near7 controller)) and 709/\$

	DBs	Time Stamp	Comments	Error Definition
60	USPAT	2002/06/13 10:59		
61	USPAT	2002/06/13 10:59		
62	USPAT	2002/06/13 11:00		

	Errors
60	0
61	0
62	0